



All.Out.

Racing FW 2026

Race



Firebird

Own Your Next Turn.

Race

NEW



HANDMADE IN AUSTRIA

Firebird DH R.D. (Flat + Plate)

Cod. 8A630000-001
Orange

Lengths: 212-218 cm

Radius: >50->50 m

Sidecut: R&D

Weight (Flat): 2620 g

Construction: Race Dept.
Construction

Core + Key Materials: Race Dept. Full
Woodcore

Rocker: Full Camber

Plate: World Cup PC Interface 10mm

Suggested Binding: Comp30 /
Comp20

Key Technology: Phenol Sidewalls

NEW

HANDMADE
IN AUSTRIA

Firebird SG R.D. (Flat + Plate)

Cod. 8A630200-001
Orange

Lengths: 185-195-202-205-212 cm
Radius: >30->33->33->40->45 m
Sidecut: R&D
Weight (Flat): 2420 g
Construction: Race Dept. Construction
Core + Key Materials: Race Dept. Full Woodcore
Rocker: Full Camber
Plate: World Cup PC Interface 10mm
Suggested Binding: Comp30 / Comp20
Key Technology: Phenol Sidewalls

NEW

HANDMADE
IN AUSTRIA

Firebird GS R.D. (Flat + Plate)

Cod. 8A630400-001
Orange

Lengths: 188-193 cm
Radius: >30->30 m
Sidecut: R&D
Weight (Flat): 2140 g
Construction: Race Dept. Construction
Core + Key Materials: Race Dept. Full Woodcore
Rocker: Full Camber
Plate: World Cup PC Interface 10mm
Suggested Binding: Comp30 / Comp20
Key Technology: Phenol Sidewalls

NEW

HANDMADE
IN AUSTRIA

Firebird SL R.D. (Flat + Plate)

Cod. 8A630300-001
Purple

Lengths: 156-165 cm
Radius: >13->13 m
Sidecut: R&D
Weight (Flat): 1840 g
Construction: Race Dept. Construction
Core + Key Materials: Race Dept. Full Woodcore
Rocker: Full Camber
Plate: World Cup PC Interface 14mm
Suggested Binding: Comp30 / Comp20
Key Technology: Phenol Sidewalls

NEW

HANDMADE
IN AUSTRIA

Firebird SL R.D. M Plate (Flat + Plate)

Cod. 8A630600-001
Purple

Lengths: 156-165 cm
Radius: >13->13 m
Sidecut: R&D
Weight (Flat): 1840 g
Construction: Race Dept. Construction
Core + Key Materials: Race Dept. Full Woodcore
Rocker: Full Camber
Plate: World Cup PC Interface 10mm
Suggested Binding: Comp30 / Comp20
Key Technology: Phenol Sidewalls

NEW



HANDMADE
IN AUSTRIA

**Firebird GS FIS
(Flat + Plate)**

Cod. 8A631000-001
Orange

Lengths: 183-188 cm
Radius: >23->25 m
Sidecut: 103-65-86 mm (183)
Weight (Flat): 1950 g
Construction: FIS Racing
 Construction
Core + Key Materials: FIS Full
 Woodcore
Rocker: Full Camber
Plate: World Cup PC Interface 10mm
Suggested Binding: Comp20 /
 Comp16
Key Technology: Phenol Sidewalls

NEW



HANDMADE
IN AUSTRIA

**Firebird SL FIS
(Flat + Plate)**

Cod. 8A631200-001
Purple

Lengths: 156-165 cm
Radius: >12->13 m
Sidecut: 116.5-65-101.5 mm (165)
Weight (Flat): 1840 g
Construction: FIS Racing
 Construction
Core + Key Materials: FIS Full
 Woodcore
Rocker: Full Camber
Plate: World Cup PC Interface 10mm
Suggested Binding: Comp20 /
 Comp16
Key Technology: Phenol Sidewalls

NEW



HANDMADE
IN AUSTRIA

**Firebird GS Racing
(Flat + Plate)**

Cod. 8A631400-001
Orange

Lengths: 173-178-183-188 cm
Radius: >23->23->23->25 m
Sidecut: 103-65.5-86 mm (183)
Weight (Flat): 1800 g
Construction: Racing Construction
Core + Key Materials: Racing Full
 Woodcore
Rocker: Full Camber
Plate: World Cup PC Interface 10mm
Suggested Binding: Comp20 /
 Comp16 RD / Comp12

NEW



HANDMADE
IN AUSTRIA

**Firebird SL Racing
(Flat + Plate)**

Cod. 8A631600-001
Purple

Lengths: 151 cm
Radius: >13 m
Sidecut: 112.5-66.5-100.5 mm (151)
Weight (Flat): 1500 g
Construction: Racing Construction
Core + Key Materials: Racing Full
 Woodcore
Rocker: Full Camber
Plate: World Cup PC Interface 10mm
Suggested Binding: Comp20 /
 Comp16 RD / Comp12

NEW



**Firebird GS JR Racing
(Flat + Plate)**

Cod. 8A631800-001
Orange

Lengths: 129-136-143-150-157-164-171 cm

Radius: >12->14->14->14->17->17->17 m

Sidecut: 104-65.5-87 mm (157)

Weight (Flat): 1370 g

Construction: Racing Construction

Core + Key Materials: JR Racing Full Woodcore

Rocker: Full Camber

Plate: Junior Racing Plate S(129-150)/L(157-171)

Suggested Binding: Comp10 TCX / Comp10 / Comp J8

NEW



**Firebird SL JR Racing
(Flat + Plate)**

Cod. 8A632000-001
Purple

Lengths: 121-128-135-142-149 cm

Radius: >9->9->10->10->12 m

Sidecut: 109-64-89 mm (135)

Weight (Flat): 1070 g

Construction: Racing Construction

Core + Key Materials: JR Racing Full Woodcore

Rocker: Full Camber

Plate: Junior Racing Plate S(122-136)/L(143-150)

Suggested Binding: Comp10 TCX / Comp10 / Comp J8

POWERED BY
MARKER



Comp 30
Cod. 8C630000-001
Din setting: 15.0 - 30.0



Comp 10 TCX
Cod. 8C655100-001
Din setting: 3.0 - 10.0



Comp 20
Cod. 8C640000-001
Din setting: 11.0 - 20.0



Comp 10
Cod. 8C656000-001
Din setting: 3.0 - 10.0



Comp 16 RD
Cod. 8C652200-001
Din setting: 6.0 - 16.0




Comp Junior 8
Cod. 8C657000-001
Din setting: 2.0 - 8.0



Comp 16 GW
Cod. 8C651000-001
Din setting: 6.0 - 16.0



Comp 12
Cod. 8C653100-001
Din setting: 4.0 - 12.0



Comp 12 GW
Cod. 8C654100-001
Din setting: 4.0 - 12.0




**Firebird
Race-Type.**

**Own Your
Next Turn.**

Race-Type Construction

Developed directly by our Racing Department, this ski features a Trueblend Race Woodcore combined with full-length Titanal layers from tip to tail for uncompromised power and edge precision. A phenol sidewall ensures razor-sharp grip and maximum torsional stiffness, while a dual-Titanal tip construction, separated by a thin rubber damping layer, delivers a dynamic and progressive flex that adapts smoothly through every turn. The result: race-inspired control and confidence, wherever you push the limits.



Trueblend Race Woodcore

The Trueblend Race Woodcore is designed with a harder flex zone in the center, that provides stability and edge grip, a medium flex zone in front of and behind the binding that provides control, and a soft flex zone in the tip and tail that provides easy turn initiation and release. Trueblend technology allows us to precisely control the flex throughout the whole length of the ski and in every size.



World Cup Running Base

Featuring a World Cup Running Base with a precision fishbone structure, this base technology ensures exceptional glide and superior wax absorption in all snow conditions. Engineered for racers and expert skiers alike, the refined micro-pattern minimizes friction and maximizes acceleration, delivering that unmistakable World Cup-level smoothness from start gate to finish line.



NEW



Firebird Race Type LT (Flat)

Cod. 8A633700-001
Orange

Lengths: 173-179-183 cm
Radius: 17-19-21 m
Sidecut: 115-67-96 mm (173)
Weight (Flat): 1950 g
Construction: 3 Full Ti Racing + Trueblend Race
Core + Key Materials: Trueblend Race Woodcore
Rocker: Full Camber
Key Technology: Phenol Sidewalls + WC running base

NEW



Firebird Race Type MT (Flat)

Cod. 8A633500-001
Purple

Lengths: 167-173-179 cm
Radius: 14-15-16 m
Sidecut: 120-67-100 mm (173)
Weight (Flat): 1950 g
Construction: 3 Full Ti Racing + Trueblend Race
Core + Key Materials: Trueblend Race Woodcore
Rocker: Full Camber
Key Technology: Phenol Sidewalls + WC running base

Each Firebird Race-Type flat ski is compatible with two plate options and three binding configurations, allowing for optimal customization and performance.

Plate options*



World Cup PC Interface Mounting Kit

Cod: 8B602000-001
The kit includes:
- Plates
- Mounting support sticker
- Installation instructions



Race Plate Pro Mounting Kit

Cod: 8B603000-001
The kit includes:
- Plates
- Mounting support sticker
- Installation instructions

*Physical WC plate and Race plate mounting tools available aftermarket:

8B41100-001 Mounting Tool - WC Plate
8B411000-001 Mounting Tool - Griffon

Binding options



Comp 20
Cod: 8C640000-001



Comp 16 GW
Cod: 8C651000-001



Comp 12 GW
Cod: 8C654100-001

High Performance

NEW



Firebird Race Type LT (Flat + Plate)

Cod. 8A633000-001

Orange

Lengths: 173-179-183 cm

Radius: 17-19-21 m

Sidecut: 115-67-96 mm (173)

Weight (Flat): 1950 g

Construction: 3 Full Ti Racing + Trueblend Race

Core + Key Materials: Trueblend Race Woodcore

Rocker: Full Camber

Plate: Race Plate Pro B

Key Technology: Phenol Sidewalls + WC running base

NEW



Firebird Race Type MT (Flat + Plate)

Cod. 8A633200-001

Purple

Lengths: 167-173-179 cm

Radius: 14-15-16 m

Sidecut: 120-67-100 mm (173)

Weight (Flat): 1950 g

Construction: 3 Full Ti Racing + Trueblend Race

Core + Key Materials: Trueblend Race Woodcore

Rocker: Full Camber

Plate: Race Plate Pro B

Key Technology: Phenol Sidewalls + WC running base

Each Firebird Race-Type model equipped with the pre-mounted Race Plate Pro is compatible with three binding options, offering maximum customization and performance.

Binding options



Comp 20

Cod: 8C640000-001



Comp 16 GW

Cod: 8C651000-001



Comp 12 GW

Cod: 8C654100-001



Race

Firebird

Get Fired Up.

Race

NEW



Firebird R 130

Cod. 101A1402-827

Purple

Sizes: 225-295

Weight (Flat): 2426 g - 27.5

Shell: PU

Cuff: PU

Liner: Race Dept. - Laces - Floating Tongue

Soles: ISO 5355

Buckles: 4 Micro Adjustable WC - Screwed

Strap: Performance Elastic WC Strap - Mid



LAST 96



FLEX 130



VOLUME ELV

Accessoires

NEW



Performance


Power Strap Hard

Cod. 403A7000-000

Performance

Power Strap Mid

Cod. 403A7100-000



Firebird (24) 3 mm Lifter

Cod. 403A4200-000

Firebird (24) 4 mm Lifter

Cod. 403A4300-000

Firebird (24) 5 mm Lifter

Cod. 403A4400-000

Accessoires & Bags



Alu Pro Plates

Cod. 8B2026 00 001



World Cup PC Interface 10 mm

Cod. 8B4010 00 001

World Cup PC Interface 14 mm

Cod. 8B4011 00 001



Racing Tuning Kit TCX X Comp

Cod. 2028U1RX

NEW



Firebird Skistrap

Cod. 45170100-001

White

Q.ty per kit: 5

NEW



Firebird Skistrap

Cod. 45170100-002

Purple

Q.ty per kit: 5



Firebird Coach 45

Cod. 422389 01 305

Orange

- 45 LT.
- Tasche vorne
- Innentaschen für Trainerzubehör
- Zusätzliche Tasche oben
- Zusätzliche Tasche seitlich
- Einstellbare Schultergeschlaufen
- Einstellbare Brustschlaufe
- Einstellbare Hüftschlaufe
- YKK Reißverschluss
- 57 x 27 x 23 cm



Firebird Racing 80L

Cod. 42239400-956

Black / Orange

- 80 LT.
- Top wide opening
- Wide lateral rooms for skiboosts storage
- Wide side pocket (glove compartment)
- 2 side pockets
- Additional fleeced top pocket for goggles, gloves or accessories
- Internal pocket for documents
- Adjustable shoulder straps
- Adjustable chest strap
- YKK zippers



Firebird Racing 50L

Cod. 42240500-956

Black / Orange

- 50 LT.
- Side opening for skiboosts storage
- Top wide opening
- Lateral and front easy accessible pockets
- Additional side pocket
- Adjustable shoulder straps
- YKK zippers



Firebird XL Duffle Roller

Cod. 42238501-95C

Black / Icon Orange

- 150 LT.
- Internal zipped compartments
- Trolley
- Upper pocket
- Water resistant front pocket for skiboosts and ski clothes storage

Bags



Ski Bag Promo

Cod. 42236400-100

Black

- 205 cm
- Adjustable shoulder strap
- 2 fixation straps
- Material: 600 D - PU - PVC backing
- 205 × 13 × 28 cm



Ski bag

Cod. 42239100-100

Black

- 60 LT.
- Adjustable length from 174 to 205 cm (each side adjustment)
- 2 handle straps on the sides
- Adjustable shoulder strap
- 2 fixation straps
- YKK zippers
- Material: 600 D - PU - PVC backing phthalates free
- 174 (205) × 13 × 28 cm



Roller Ski Bag

Cod. 42239300-100

Black

- 60 LT.
- Adjustable length up till 205 cm (each side adjustment)
- Trolley
- 2 handle straps on the sides
- Adjustable shoulder strap
- 2 fixation straps
- YKK zippers
- Material: PVC backing phthalates free
- 174 (205) × 13 × 28 cm



Firebird GS Ski Bag 3 Pairs

Cod. 42238600-100

Black

- Ski length 210 cm
- 3 pairs

Firebird DH Ski Bag 3 Pairs

Cod. 422387 00 100

Black

- Ski length 240 cm
- 3 pairs



NEW

Firebird Racing 80L

Cod. 42239400-T79

Purple

- 80 LT.
- Top wide opening
- Wide lateral rooms for skiboosts storage
- Wide side pocket (glove compartment)
- 2 side pockets
- Additional fleeced top pocket for goggles, gloves or accessories
- Internal pocket for documents
- Adjustable shoulder straps
- Adjustable chest strap
- YKK zippers

Clothing

NEW



Firebird Cap

Cod. 45169400

Purple

One size

NEW



Firebird Hoodie

Cod. 45169200

Purple

XS - XXL

NEW



B-T Rain Coat All Out

Cod. 45159A00-100

Black

- Made in Italy
- Waterproof fabric
- 75% polyester
- 25% polyurethane
- With hood
- XS, S / M, L / XL

FIS-Reglement

DISCIPLINE	SKILENGTH, MINIMUM (CM)	SKIRADIUS (M)	SKIWIDTH BELOW THE BINDING (MM)	SKIWIDTH ABOVE THE BINDING (MM)	MAX. STANDING HEIGHT (SKI/ PLATE/ BINDING)
DH	m 218**	50	<=65	<=95	50
	w 210**	50	<=65	<=95	50
SG	m 210**	45	<=65	<=95	50
	w 205**	40	<=65	<=95	50
GS	m 193**	30	<=65	<=95	50
	w 188**	30	<=65	<=95	50
SL	m 165*		<=63		50
	w 155		<=63		50

** - 5 cm tolerance for FIS / * Männer U18 (first year) for FIS - 10 cm tolerance

U14 (K1) und U16 (K2)

DISCIPLINE		SKILENGTH, MINIMUM (CM)	SKIRADIUS MINIMUM (M)	MEDIUM WIDTH BELOW THE BINDING (MM)	MAX. STANDING HEIGHT (SKI/ PLATE/ BINDING)
SG	U14 (K1) m/w			<=65	50
	U16 (K2) m/w	>= 183	30	<=65	50
GS	U14 (K1) m/w	<= 188	17	<=65	50
	U16 (K2) m/w	<= 188	17	<=65	50
SL	U14 (K1) m/w	>= 130			50
	U16 (K2) m/w	>= 130			50

>= minimum / <= maximum



Tecnica Group S.P.A. Via Fante d'Italia 56,
31040 Giavera del Montello (TV) Italy

Blizzard-Tecnica.com